

FIBERNET

LADY

Cable Blowing Machine

Made in Italy



Cable blowing machine for FTTH application
Cables from \varnothing 1.2 mm up to \varnothing 10 mm and ducts from \varnothing 5 mm up to \varnothing 16 mm

FIBERNET

LADY


Cable Blowing Machine

LADY CABLE BLOWING MACHINE

TECHNICAL DATA

Max blowing speed	>80 m/min	Dimensions	235 x 180 x 130 mm
Cable diameters	ø 1.2 to 10 mm	Dimensions (with case)	475 x 415 x 245 mm
Duct diameters	ø 5 to 16 mm	Weight	6 Kg
Max air pressure	16 bar	Weight (with accessorized case)	13,8 Kg
Pushing force	up to 150 N	USB port	Yes
Case	Rugged waterproof case	Max tested jetting distance ¹	1000 m

1. Testing conducted by FIBERNET using real circuits. Distance will vary based on conditions: circuit, curves number, duct type and use.



ACCESSORIES INCLUDED

* Duct adapter set (customers' choice 1 pc among)	ø 5 - 7 - 8 - 10 - 12 - 14 - 16 mm
** Cable adapter set (customers' choice 1 pc among)	ø 1÷2 - 2÷3 - 3÷4 - 4÷5 - 5÷6 - 6÷9 - 9÷10 mm
Hex wrenches	ø 2 - 3 - 8 mm
Micro duct cutter	duct range ø 0 - 25 mm (1 pc)
Air hose with valve	5 m with quick coupling connector (1 pc)
Lubricant	1 L bottle (1 pc)

* **DUCT ADAPTER SET** includes: Specific duct gaskets (10 pcs)

** **CABLE ADAPTER SET** includes: Specific cable gaskets set (5 pcs per measure) and cable entry guide

Example: duct adapter ø 7 mm - duct gasket ø 7 mm - cable adapter ø 3÷4 mm - cable gasket ø 3 - 3,5 - 4 mm (5 per measure) cable entry guide ø 3÷4 mm

ELECTRIC DRIVER & MOTOR

TECHNICAL DATA

Rugged waterproof case	410 x 340 x 205 mm
Weight	11 kg
Rated torque	2,8 Nm
Battery li-ion	2 x 18 V - 5,0 Ah
Fast battery charger	Yes
Pushlock emergency button	Yes
Torque limiter	Yes




ELECTRIC MOTOR IS NOT INCLUDED WITH LADY CABLE BLOWING MACHINE

USB port



- All data shown on display are available for download



App for Lady cable blowing machine

Download the report on your device



cable laying distance (m)



max speed (m/min)



max pressure (Bar)



cable laying time



graph



plant info



cable and duct specs



GPS coordinates



compressor specs



lubricant used

Info automatically saved by the App in a PDF report and additional info can be set by the operator

Report can be sent by email



App developed for Android devices

FIBERNET

Via degli Olmetti, 18 - 00060 Formello (RM) - Rome, ITALY
Ph. (+39) 06.90.40.50.39 E-mail: info@fibernet.it